# **Chemical Consultants** INCORPORATED

## **LSR-20**

### **Liquid Haze Remover**

#### **General Description**

LSR-20 is a semi-viscous liquid ghost/image stain remover that is designed for all ink stains. LSR-20's top priority is UV Ink Stains. This product removes stains with less noticeable odor and works better than most paste stain removers. LSR-20 contains a proprietary mesh protector. LSR-20 will also remove diazo stains left behind by certain emulsions.

#### **ADVANTAGES**

- · Water-Based
- Fast Acting
- Biodegradable / Drain Safe
- · Low Odor
- No VOC (Volatile Organic Compound)
- High load capacity to reduce usage
- Non Flammable
- · Mesh Safe
- · Ideal for use on multiple deep stains
- · Contains a proprietary mesh protector
- Multiple Applications

#### **Application**

There are three application methods that can be used depending on the severity of the stain.



Flood rinse (hose pressure) the screen prior to the high pressure step.

This will eliminate the product from being atomized in the air (blow back)

1022 HP

Click here for more details.

\*Use of a High Pressure Unit Greatly Increases Product Performance.







#### Wet Application:

- 1. Apply LSR-20 on both sides of a wet screen.
- 2. Scrub screen with a non-absorbent pad or brush. Allow to dwell 3-10 minutes.
- 3. High pressure water rinse-starting at the bottom.

#### **Dry Application:**

- 1. Apply LSR-20 on both sides of a dry screen.
- 2. Scrub screen with a non-abrasive pad or brush. Allow to dwell until the screen is completely dry.
- 3. High pressure water rinse-starting at the bottom.

#### **Reactivated Application:**

- 1. Apply LSR-20 on both sides of a dry screen.
- 2. Scrub screen with a non-absorbent pad or brush. Allow to dwell until the screen is completely dry.
- 3. Reactivate LSR-20 by applying a CCI Ink Degradent over the dried LSR-20.
- 4. Scrub both sides of the screen until the dried LSR-20 is dissolved.
- 5. High Pressure water rinse-starting at the bottom.

#### Packaging

4 x 1 (	quart
---------	-------

5 gallon pail

55 gallon drum

1000 P.S.I.